

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 9 | ("6523102" "6199126" "10010001872" "20030191903" "5732202").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:00 |
| L2 | 166 | (schedul\$3 or arrang\$5) with request\$3 with compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:01 |
| L3 | 141 | 2 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:06 |
| L4 | 0 | 1 and 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:06 |
| L5 | 1 | 1 and schedul\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:06 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 3 | "6735673" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 08:50 |
| S2 | 24 | cache near2 line near2 compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 15:21 |
| S3 | 18 | S2 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 08:53 |
| S4 | 209 | cache near2 compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 15:48 |
| S5 | 38 | cache near5 compress\$3 near5 map\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 15:48 |
| S6 | 32 | S5 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 17:34 |
| S7 | 12 | (stor\$3 or record\$3 or sav\$3 or writ\$3) with (compressed near2 (cache adj lines)) with memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 17:49 |
| S8 | 10 | S7 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 06:54 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S9 | 8 | (stor\$3 or record\$3 or sav\$3 or writ\$3) with memory with (compressed adj (cache adj lines)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 17:57 |
| S10 | 34 | adl-tabatabai-ali-reza.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 17:58 |
| S11 | 22 | ((cache adj line) with compress\$3). clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 17:59 |
| S12 | 7 | S10 and S11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 18:10 |
| S13 | 18 | S11 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/29 16:02 |
| S14 | 2 | "20030135694" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 18:35 |
| S15 | 8 | "6199126" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 19:02 |
| S16 | 2 | "20040030847" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 19:07 |

EAST Search History

| | | | | | | |
|-----|-------|--------------------------------------|---|----|-----|------------------|
| S17 | 6 | "6553411" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 19:10 |
| S18 | 3 | "20030063676" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/22 19:10 |
| S19 | 52434 | compress\$3 near2 type | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/24 12:53 |
| S20 | 14 | cache with compress\$3 near2 type | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/24 13:13 |
| S21 | 11 | S20 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/24 13:15 |
| S22 | 931 | cache and (compress\$3 near2 type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/24 13:14 |
| S23 | 91 | S22 and (cache adj (line or object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/24 13:14 |
| S24 | 80 | S23 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 10:30 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S25 | 0 | (storing or writing) with compress\$3 near5 "into" near5 cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 10:31 |
| S26 | 209 | (storing or writing) with compress\$3 near5 cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 10:31 |
| S27 | 174 | S26 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 11:14 |
| S28 | 74 | S27 and "711"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 11:04 |
| S29 | 7 | identif\$7 with (compressed adj cache adj line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 11:08 |
| S30 | 4 | S29 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 11:05 |
| S31 | 27 | (identif\$7 or indicat\$3 or flag) with (compressed adj cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/27 06:53 |
| S32 | 22 | S31 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 11:14 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S34 | 3 | "6735673" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 13:44 |
| S35 | 2 | "6640283" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 13:46 |
| S36 | 2 | reduc\$3 near5 number near5 line near5 cache near5 compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 15:54 |
| S37 | 2 | "20010054131" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 15:57 |
| S38 | 24 | ("20010054131" "5652857" "6507895" "20040255209" "5206939" "6449689" "6115787" "20020116567" "20020991905" "6629205" "5875454" "5237675" "6145069").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:00 |
| S39 | 14 | S38 and (compress\$3 with (map\$4 or table or directory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:21 |
| S40 | 8 | S38 and (compress\$3 with (map\$4 or table or directory) with cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:09 |
| S41 | 30 | "5652857" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:21 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S42 | 12 | S41 and (compress\$3 with (map\$4 or table or directory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:22 |
| S43 | 6 | S41 and (compress\$3 with (map\$4 or table or directory) with cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:24 |
| S44 | 0 | compression\$1map | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:25 |
| S45 | 667 | compression near2 map\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:25 |
| S46 | 5 | compression near2 map\$3 near5 cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:25 |
| S47 | 1 | S46 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/25 16:26 |
| S54 | 9 | cache with (compression near2 type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:40 |
| S56 | 6 | (identif\$7 or indicat\$3 or mark\$3) with cache with (compression near5 type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:41 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S57 | 3 | S56 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:47 |
| S58 | 36 | cache with directory with compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:47 |
| S59 | 34 | S58 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 07:47 |
| S60 | 23 | "5826054" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 09:04 |
| S61 | 11 | "6216213" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 09:04 |
| S62 | 2 | "20050144388".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 23:02 |
| S63 | 1758 | compression\$1type | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 23:48 |
| S64 | 4 | S63 and "711"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 23:49 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S65 | 3 | S64 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 00:02 |
| S66 | 2 | S63 and "710"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 23:52 |
| S67 | 78 | compression with (type or format) with cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 00:01 |
| S68 | 68 | S67 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/27 23:53 |
| S69 | 45 | compression near2 (type or format) with cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 00:02 |
| S70 | 9 | compression near2 (type) with cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 00:02 |
| S71 | 6 | S70 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 00:02 |
| S72 | 46 | (memory near2 (controller or manag\$5)) with (indicat\$3 or identif\$7 or flag or bit) near5 compression | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 09:37 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S73 | 42 | S72 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 09:40 |
| S74 | 9 | compression near2 (type) with cache | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 09:16 |
| S75 | 0 | (memory near2 (controller or manag\$5)) with (indicat\$3 or identif\$7 or flag or bit) with (compression near2 type) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 09:37 |
| S79 | 54 | (indicat\$3 or identif\$7 or flag or bit) with (compression near2 type) with memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 09:39 |
| S80 | 40 | S79 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:45 |
| S81 | 752 | bios with writ\$3 with memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:52 |
| S82 | 145 | S81 and "711"/\$.cccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:53 |
| S83 | 133 | S82 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:54 |

EAST Search History

| | | | | | | |
|-----|------|------------------------------------|---|----|-----|------------------|
| S84 | 18 | S83 and compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:54 |
| S85 | 267 | S81 and "713"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:53 |
| S86 | 244 | S85 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 18:30 |
| S87 | 40 | S86 and compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 16:54 |
| S88 | 3431 | queue with scheduler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 18:29 |
| S89 | 2 | S88 and (compression near5 cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 18:30 |
| S90 | 14 | S88 and (compression near5 memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 18:30 |
| S91 | 10 | S90 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/28 18:30 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S51 | 1588 | cache with compress\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:30 |
| S52 | 8 | newburn-chris\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:26 |
| S53 | 10 | huggahalli-ram\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:27 |
| S54 | 42 | hum-herbert\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:27 |
| S55 | 11 | ghuloum-anwar\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:30 |
| S56 | 34 | adl-tabatabai-ali-reza\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:30 |
| S57 | 258 | (cache with compress\$3).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:31 |
| S58 | 8 | (S52 or S53 or S54 or S55 or S56) and S57 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:50 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S59 | 219 | S57 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 15:54 |
| S60 | 17 | S59 and (compress\$3 near5 map) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:51 |
| S61 | 53 | S59 and (compress\$3 near5 map\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 14:52 |
| S62 | 49 | S61 not S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 15:28 |
| S63 | 21 | S62 and ((cache or memory) near5 controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 15:53 |
| S64 | 42 | compress\$3 near2 (cache adj lines) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 15:53 |
| S65 | 34 | S64 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 16:43 |
| S66 | 0 | compressing with (cache near2 (line or block or data or object)) with into near5 (compressed near5 cache near2 (line or block or data or object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 16:43 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S67 | 34 | compressing with (cache near2 (line or block or data or object)) with (compressed near5 cache near2 (line or block or data or object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 16:43 |
| S68 | 31 | S67 and (@ad<"20031231") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/21 16:43 |